

Certificate of Analysis
Compliance Test

Client Information:

Stoner Hemp
Leaf & Lens
Lawrenceville, GA.Batch # 536793AB-33
Batch Date: 2026-09-17
Extracted From: STONER NEXT LEVEL FLOWER

Test Reg State: Texas

Order # WCD260917-17
Order Date: 2026-09-17
Sample # ABHP608Sampling Date: 2026-09-17
Lab Batch Date: 2026-09-17
Completion Date: 2026-09-20
Initial Gross Weight: 1.0gPotency
TestedHHCP
TestedPathogenic Microbiology
PassedHeavy Metals
PassedMycotoxins
PassedPesticides
PassedResidual Solvents
PassedMoisture
TestedMicrobiology (qPCR)
PassedFilth and Foreign
Passed

Product Image

Potency (LCUV) (GA) + Potency
25 (LCUV)

Specimen Weight: 1850.920 mg

Pieces For Panel: 15

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
CBGA	15.000	8.00E-5	0.0125	<LOQ	<LOQ
Delta9-THCP *	15000.000	1.17E-5	0.01	<LOQ	<LOQ
Delta-8 THC	15.000	2.60E-5	0.0125	<LOQ	<LOQ
CBG	15.000	2.48E-4	0.0125	9.705	0.9705
CBGA	150.000	1.07E-4	0.0125	<LOQ	<LOQ
CBT	150.000	2.00E-4	0.0125	<LOQ	<LOQ
Delta8-THCP *	15.000	3.75E-4	0.0125	<LOQ	<LOQ
CBN	15.000	1.40E-5	0.0125	<LOQ	<LOQ
THC A-A	15.000	3.20E-5	0.0125	<LOQ	<LOQ
CBC	15.000	2.76E-5	0.075	<LOQ	<LOQ
Delta-8 THCV	15.000	4.00E-5	0.0125	<LOQ	<LOQ
CBD	15.000	5.40E-5	0.0125	18.415	1.8415
CBDA	15.000	1.00E-5	0.0125	<LOQ	<LOQ
Delta-10 THC	15.000	3.00E-6	0.0125	<LOQ	<LOQ
Delta-9 THC	15.000	2.80E-4	0.075	2.485	0.2485
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THC V A	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			18.415	1.8415
Total Active THC	15.000			2.485	0.2485

Tested

SOP13.001 (LCUV)

Potency Summary

Total HHC None Detected	Total Active THC 0.2485%
Total Active CBD 1.8415%	Total CBG 0.9705%
Total CBN None Detected	Total Cannabinoids 3.0605%
Total DELTA-8-THC None Detected	

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) +
Potency 25 (LCUV)Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.



Certificate of Analysis

Compliance Test

Client Information:

Stoner Hemp
Leaf & Lens
Lawrenceville, GA.

Batch # 536793AB-33
Batch Date: 2026-09-17
Extracted From: STONER NEXT LEVEL FLOWER

Test Reg State: Texas

Order # WCD260917-17
Order Date: 2026-09-17
Sample # ABHP608

Sampling Date: 2026-09-17
Lab Batch Date: 2026-09-17
Completion Date: 2026-09-20

Initial Gross Weight: 1.0g



Moisture

Specimen Weight: **N/A** Dilution Factor: 1.000

Tested
SOP13.015 (Moisture
Meter)

Analyte	Action Level (%)	Result (%)
Moisture	15	11.680



PCR Total Yeast and Mold

Specimen Weight: 953.400mg

Passed

SOP13.017
(qPCR)

Dilution Factor: 20.000	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
	100000	1000	9175
Prep. By: 1161	Date: 2025-08-12 10:53:26	Analyzed By: 1161	Date: 2025-08-12 10:53:26
Reviewed By: 1161	Date: 2025-08-13 09:53:14	Lab Batch #: AAGT292-218	Date: 2025-08-13 09:53:14



Microbiology Pathogenic AE qPCR - (GA)

Specimen Weight: 1003.200mg

Passed
SOP13.029 (qPCR)

Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result Analyte (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Passed	1	Passed



Filtration and Foreign Material - (GA)

Specimen Weight: **N/A** Dilution Factor: 1.000

Passed

SOP13.020
(Electronic Balance)

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Stoner Hemp
Leaf & Lens
Lawrenceville, GA.

Batch # 536793AB-33
Batch Date: 2026-09-17
Extracted From: STONER NEXT LEVEL FLOWER

Test Reg State: Texas

Order # WCD260917-17
Order Date: 2026-09-17
Sample # ABHP608

Sampling Date: 2026-09-17
Lab Batch Date: 2026-09-17
Completion Date: 2026-09-20
Initial Gross Weight: 1.0g



Heavy Metals

Specimen Weight: 247.500 mg

Passed

SOP13.048 (ICP-MS)

Dilution Factor: 202

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	138.747	Mercury (Hg)	.58	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 300.100 mg

Passed

SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	1912041.200	Hexane	0.068	25	100000	<LOQ



Mycotoxins

Specimen Weight: 585.300 mg

Passed

SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Stoner Hemp
Leaf & Lens
Lawrenceville, GA.

Batch # 536793AB-33
Batch Date: 2026-09-17
Extracted From: STONER NEXT LEVEL FLOWER

Test Reg State: Texas

Order # WCD260917-17
Order Date: 2026-09-17
Sample # ABHP608

Sampling Date: 2026-09-17
Lab Batch Date: 2026-09-17
Completion Date: 2026-09-20

Initial Gross Weight: 1.0g

HHCP HHCP

Specimen Weight: 1850.920 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 75000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQDelta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQDelta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQDelta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQTotal HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis

Compliance Test

Client Information:

Stoner Hemp
Leaf & Lens
Lawrenceville, GA.

Batch # 536793AB-33
Batch Date: 2026-09-17
Extracted From: STONER NEXT LEVEL FLOWER

Test Reg State: Texas

Order # WCD260917-17
Order Date: 2026-09-17
Sample # ABHP608

Sampling Date: 2026-09-17
Lab Batch Date: 2026-09-17
Completion Date: 2026-09-20
Initial Gross Weight: 1.0g



Pesticides

Specimen Weight: 585.300 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Paclbutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyuthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trioxystrobin	3.7000E-2	30	100	<LOQ


Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

